Table 10

HHI Calculations
Digital: Analog / 1:1 Entry of Two SMRs with 5 MHz Each

	P	re-SMR En	try	Post-SMR Entry			
Firms		Market	HHI		Market	HHI	
	Bandwidth	Share	Contribution	Bandwidth	Share	Contribution	
Cellular 1	25	14.7%	216	25	13.9%	193	
Cellular 2	25	14.7%	216	25	13.9%	193	
3	30	17.6%	311	30	16.7%	278	
4	30	17.6%	311	30	16.7%	278	
5	20	11.8%	138	20	11.1%	123	
6	10	5.9%	35	10	5.6%	31	
7	10	5.9%	35	10	5.6%	31	
8	10	5.9%	35	10	5.6%	31	
9	10	5.9%	35	10	5.6%	31	
SMR 10				5	2.8%	8	
SMR 11				5	2.8%	8	
Totals	170		1,332	180		1,204	
Herfindahl-H	irschman Ana	llysis	1,332			1,204	

Source: FCC, Second Report and Order; Charles River Associates.

Table 11A

HHI Calculations

Digital: Analog / 1:1 Entry of One SMR with 10 MHz

	Р	re-SMR En	try	Po	st-SMR Er	ntry
Firms		Market	HHI	1	Market	HHI
	Bandwidth	Share	Contribution	Bandwidth	Share	Contribution
Cellular 1	35	20.6%	424	35	19.4%	378
Cellular 2	35	20.6%	424	35	19.4%	378
3	40	23.5%	554	40	22.2%	494
4	40	23.5%	554	40	22.2%	494
5	20	11.8%	138	20	11.1%	123
SMR 6				10	5.6%	31
Totals	170		2,093	180		1,898
Herfindahl-Hirschman Analysis			2,093			1,898

Source: FCC, <u>Second Report and Order</u>; Charles River Associates.

Table 11B

HHI Calculations

Digital: Analog / 1:1 One SMR with 10 MHz

Firms	Initial	Market	HHI	Acquired	Final	Market	HHI
	Bandwidth	Share	Contribution	Bandwidth	Bandwidth	Share	Contribution
Cellular 1	35	19.4%	378	5	40	22.2%	494
Cellular 2	35	19.4%	378		35	19.4%	378
3	40	22.2%	494		40	22.2%	494
4	40	22.2%	494		40	22.2%	494
5	20	11.1%	123		20	11.1%	123
SMR 6	10	5.6%	31	-5	5	2.8%	8
Totals	180		1,898		180		1,991
Herfindahl-H	lirschman Ana	alysis	Initial HHI Change	1,898 93			
		,	Final HHI	1,991	_		

Source: FCC, <u>Second Report and Order</u>; Charles River Associates.

Table 12

CTIA PROPOSAL

HHI Calculations
Digital: Analog / 6:1

	w	ith Analog Ha	ndicap (10N	lHz)	Without Analog Handicap			
Firms		Effective	Market	ННІ		Effective	Market	HHI
	Bandwidth	Capacity*	Share	Contribution	Bandwidth	Capacity*	Share	Contribution
Cellular 1	25	100	10.9%	118	25	150	14.7%	216
Cellular 2	25	100	10.9%	118	25	150	14.7%	216
3	20	120	13.0%	170	20	120	11.8%	138
4	20	120	13.0%	170	20	120	11.8%	138
5	20	120	13.0%	170	20	120	11.8%	138
6	20	120	13.0%	170	20	120	11.8%	138
7	10	60	6.5%	43	10	60	5.9%	35
8	10	60	6.5%	43	10	60	5.9%	35
9	10	60	6.5%	43	10	60	5.9%	35
10	10	60	6.5%	43	10	60	5.9%	35
Totals	170	920		1,087	170	1,020		1,125
Herfindahl-l	Hirschman An	alysis		1,087				1,125

^{*} Effective Capacity is defined as bandwidth devoted to digital multiplied by the ratio of digital's advantage over analog plus bandwidth devoted to analog.

Source: Charles River Associates.



May 20, 1994

Building The Wireless Future...

The Honorable Reed E. Hundt Chairman Federal Communications Commission 1919 M Street, N.W. Room 814 Washington, D.C. 20554

Re:

General Docket No. 90-314

Personal Communications Services

Dear Chairman Hundt:

CTIA

Cellular
Telecommunications
Industry Association
1250 Connecticut
Avenue, N.W.
Suite 200
Washington, D.C. 20036
202-785-0081 Telephone
202-331-8112 Fax
202-736-3213 Direct Dial

Thomas E. Wheeler President / CEO

I must register the alarm of the wireless telecommunications industry over the blatent last minute spectrum grab being proposed by the Mobile Satellite Service Industry Spectrum Coalition (MSS Coalition). At this late stage in the personal communications services (PCS) rulemaking -- and without any procedural notice -- the MSS Coalition, led by Comsat, is urging the Commission to repudiate the PCS spectrum allocation decision made last September. Commission acquiescence would delay both licensed and unlicensed PCS providers' access to spectrum -- which, in reality, is of questionable, if any, use to MSS in the near term. Acceptance of the MSS proposals would also start a cascading effect through the allocation table involving broadcasters access to spectrum for ENG use as well as MDS spectrum for wireless cable operators.

The MSS Coalition and its members have had a virtual a Plan du Jour" which they have been floating. At the root of all these plans, are "Chicken Little" claims about WARC-92 MSS allocations which today are unusable (because the non-PCS half is occupied by auxillary broadcast services).

Any of the MSS Coalition's scenarios for reconstitution of the PCS allocation plan will throw the PCS process into greater turmoil and uncertainty. Licensing will be further delayed by further recommendation of new allocations. Manufacturers are likely to halt their design and fabrication efforts until they know what spectrum will be available. The investment community may also be spooked, further destabilizing the auction and business plans of the perspective PCS licensees. Surely, you recall the clear message communicated at the PCS roundtable discussions last month: avoid additional delay in PCS licensing at all cost.

The MSS Coalition's plan would additionally result in less spectrum to auction, and thus, smaller auction proceeds for taxpayers. As you know, the MSS industry is working hard to avoid mutual exclusivity in licensing. Assuming they are able to achieve that goal, MSS licenses will not pay for their spectrum. The MSS Coalition's plan would, thus, be a double whammy to the U.S. Treasury.

Letter to the Honorable Reed E. Hundt May 20, 1994 Page 2



The multiple scenarios for swapping unlicensed and licensed allocations would do serious damage to the viability of unlicensed PCS operations due to the greater number of incumbent microwave links that must be removed from the upper PCS spectrum bands. While the smaller channels utilized within those bands may permit some sharing between unlicensed PCS and incumbent microwave operations, ultimately, the microwave links would have to be moved if unlicensed services are to reach their maximum potential. For providers of "nomadic" unlicensed PCS services, who assert that their spectrum must be totally clear nationwide, the greater number of microwave links in the upper band would seem to constitute a fatal blow.

The elimination of the upper band allocation to PCS, and the availability of new spectrum for cellular companies within their existing territories, would again be a significant alteration of the current PCS rules. Such action by the Commission would also destroy the asserted basis for the creation of the huge 30 MHz/Major Trading Area licenses in the lower PCS Spectrum band. To give new wireless entrants such huge amounts of spectrum and territory while foreclosing cellular companies from additional spectrum to expand their operations and deliver new services would be grossly unfair and arbitrary. Any such change would result in vehement opposition by CTIA and its membership.

As referenced previously, any of the MSS Coalition's various plan are specious because its PCS spectrum is paired with spectrum currently utilized by television broadcasters' electronic news gathering operations. This spectrum is also not usable for international MSS operations until January 1, 2005. If MSS is to be the global service its proponents claim the restoration of the spectrum at issue is of no utility to MSS until broadcasters are moved and, even then, not for more than a decade, by international agreement.

I urge you to carefully consider the consequences of an allocation which is so encumbered to such speculative interests when the cost is harm to ongoing and imminent telecommunication services.

The clear choice is to proceed with PCS and address the needs of MSS at a later time and perhaps with additional spectrum soon to be with the Commission's jurisdiction.

Sincerely,

Thomas F Wheeler

Stone + Retrive

FEDERAL COMMENSOR WAS COMMESSION

PERSON TO ACRETARY

Building The Wireless Future

CTIA

May 4, 1994

BY HAND

Mr. William F. Caton Secretary Federal Communications Commission 1919 M Street, NW, Room 222 Washington, DC 20554

> Re: Ex Parte Presentation

> > GEN Docket No. 90-314

Cellular Telecommunications Industry Association 1250 Connecticut Avenue, N.W. Suite 200 Washington, D.C. 20036 202-785-0081 Telephone 202-785-0721 Fax 202-736-3256 Direct Dial

Randall S. Coleman Vice President for Regulatory Policy and Law

Dear Mr. Caton:

On Wednesday, May 4, 1994, the Cellular Telecommunications Industry Association (CTIA), represented by Messrs. John T. Stupka of Southwestern Bell Mobile Systems, Dennis F. Strigl of Bell Atlantic Mobile Systems, James A. Dwyer of Independent Cellular Network, Michael E. Kalogris of Horizon Cellular, and Thomas E. Wheeler and Randall S. Coleman of CTIA, made two presentations to the Commission concerning the referenced rulemaking. The first meeting was with Mr. Rudolfo M. Baca of Commissioner James H. Quello's office. The second meeting included Chairman Reed E. Hundt, his Special Assistant, Ms. Karen Brinkmann, and Dr. Robert M. Pepper, Mr. Donald Gips and Mr. Gregory Rosston of the Office of Plans and The views expressed in this meeting, as summarized in the attached presentation materials, reflect CTIA's position as previously filed in this docket.

Pursuant to Section 1.1206(a)(1) of the Commission's Rules, an original and one copy of this letter and attached presentation materials are being filed with your office.

If you have any questions concerning this submission, please contact the undersigned.

Sincerely.

Randall S. Coleman

Attachment




Why Cellular Operators Care About PCS Decision

It's Good Spectrum

800 MHz and 2 GHz functionally equivalent

C/N Remains Constant Between 850 MHz And 1900 MHz



It Opens Opportunities

• In territory:

new services

• Out of territory:

new markets



How Much Spectrum To Be Viable?

All Block Sizes Are Viable

Cellular-Viable With 25 MHz (analog)

Required Usable Spectrum For Equivalence

•	Analog	25 MHz
•	TDMA	8.4 MHz
•	MIRS	3.5 MHz
•	CDMA	2.5 MHz

The successful bidder wants the largest possible block

• Digital means smaller spectrum has same capacity




But What About . . .


Cellular "Head Start"

- Non-wireline cellular
- v. wireline head start
- MCI & Sprint
- v. AT&T 100 year head start
- Southwest Airlines, et al v.
- United Airlines, et al

Microwave Congestion

• Answer depends on the question







Competitive Spectrum Parity

Simple parity -- If 40 MHz is cap, cellular should be allowed to reach that cap

Capacity disparity -- Even with 40 MHz, cellular won't have equivalent capacity

- PCS all digital
- Cellular must retain at least 10 MHz for analog
 - ✓ Universal service obligation
 - ✓ 16 million subscribers
 - ✓ Digital incompatibility default

CTIA



Building The Wireless Future

Let's Move Forward

PCS has evolved from an unknown to an opportunity

- Cellular can provide service
 - In territory:

new services

Out of territory: new markets

How to best move forward. . .

- Building blocks encourage:
 - spectrum efficiency
 - rapid deployment
 - maximum opportunity
 - maximum equality
 - maximum competition
- Attribution and overlap
 - large license areas + strict limits = growth preclusion
- Clearing spectrum aggressively
 - Front end solution vs. back end large blocks



Let's Move Forward

How to Best Move Forward . . .

- Post-Auction Flexibility
 - ✓ Disaggregation of spectrum
 - ✓ Disinvestment
- Small Business Encouragement
 - ✓ Encourage entrepreneurs
 - ✓ Discourage "rent a SWMR"
- Regulatory Parity
 - ✓ Licensing
 - ✓ CMRS regulation



CTIA

Cellular

Suite 200

Telecommunications

Industry Association 1250 Connecticut Avenue, N.W.

Washington, D.C. 20036 202-785-0081 Telephone

202-736-3256 Direct Dial

Requiatory Policy and Law

202-785-0721 Fax

Randail S. Coleman

Vice President for

May 3, 1994

BY HAND

Mr. William F. Caton Secretary Federal Communications Commission 1919 M Street, NW, Room 222 Washington, DC 20554

Re: Ex Parte Presentation

GEN Docket No. 90-314

Dear Mr. Caton:

On Tuesday, May 3, 1994, the Cellular Telecommunications Industry Association (CTIA), represented by Mr. John T. Stupka of Southwestern Bell Mobile Systems, Mr. John K. Dion of GTE Personal Communications Services and Mr. Thomas E. Wheeler of CTIA met with Commissioner Andrew C. Barrett and his Senior Legal Advisor, Byron F. Marchant. The views expressed in this meeting, as summarized in the attached presentation materials, reflect CTIA's position as previously filed in this docket.

Pursuant to Section 1.1206(a)(1) of the Commission's Rules, an original and one copy of this letter and attached presentation materials are being filed with your office.

If you have any questions concerning this submission, please contact the undersigned.

Sincerely,


Randall S. Coleman

Attachment




Cellular Telecommunications Industry Association May 3, 1994

Received Carrier Power (C) Between Cellular And PCS




© Copyright 1994, Dr. William C.Y. Lee All rights reserved.

Human-Made Noise Between Cellular And PCS



C/N Remains Constant Between 850 MHz And 1900 MHz





COMSEARCH STUDIES

The answer depends on the question asked

Detroit and San Francisco

1 watt power (above safety standard)

TDD

Tower heights

No mitigation (i.e., filter installation)

Atlanta

Power levels

Antenna heights




Figure 4.1-1 20 MHz Allocation, Block D, Current Spectrum Availability

COMSEARCH

Same Data ne-run With Valid Assumptions





Figure 3.2-7 20 MHz - Block D (1960-1970 MHz) Current Spectrum Available COMSEARCH



Paths per Licensee to be Relocated

"Relocations will be time-consuming and difficult: five relocations per year per PCS licensee is the maximum that can be expected."



Comsearch April 12, 1993 (fig.4.2-4)



"LICENSED" SPECTRUM DOESN'T MEAN "USED" SPECTRUM

Detroit offending paths

only 20 to 50 percent loaded

Spectrum Migration Trends

Longhaul Microwave	Fiber
AML —	Fiber
Private Business Microwave Networks	LEC/ALT Fiber Enterprise Services
Private Utility Microwave Networks	Private Fiber Networks
Private Microwave Network Relocation	6 GHz Digital



U. S. Singlemode Fiber Deployment

